

EAST SEARCH 05/12/2006 by *James A. Karr*

|    | Type | Hits | Search Text   | DBs                |
|----|------|------|---|--------------------|
| 1  | BRS  | 2    | ("5930508" "5787303") .pn.  | USPAT              |
| 2  | BRS  | 11   | "5930508" .URPN.  | USPAT              |
| 3  | BRS  | 16   | ( "5057837"   "5179680"  <br>"5404469"   "5438668"  <br>"5471593"   "5502826"  <br>"5574939"   "5600810"  <br>"5630157"   "5632024"  <br>"5652852"   "5732234"  <br>"5758114"   "5761470"  <br>"5787302"   "5819058" ) .PN. | USPAT              |
| 4  | BRS  | 2538 | plurality with execution with units   | USPAT; EPO;<br>JPO |
| 5  | BRS  | 0    | issue with select\$5 with instruction   | USPAT; EPO;<br>JPO |
| 6  | BRS  | 1    | fetch with unit with instruction with delimit\$5  | USPAT; EPO;<br>JPO |
| 7  | BRS  | 950  | issue with select\$5 with instruction   | USPAT; EPO;<br>JPO |
| 8  | BRS  | 0    | unit with (fetch\$4 issu\$4) with rearrang\$4 with instruction with depend\$6   | USPAT; EPO;<br>JPO |
| 9  | BRS  | 0    | unit with (fetch\$4 issu\$4) with rearrang\$4 with instruction with depend\$6 with data   | USPAT; EPO;<br>JPO |
| 10 | BRS  | 33   | unit with (fetch\$4 issu\$4) with instruction with depend\$6 with type  | USPAT; EPO;<br>JPO |
| 11 | BRS  | 65   | available with execution with unit with issue   | USPAT              |
| 12 | BRS  | 3    | available with resource with scoreboard\$4  | USPAT              |
| 13 | BRS  | 24   | available with execution with scoreboard\$4   | USPAT              |
| 14 | BRS  | 16   | available with scoreboard\$4 with bit   | USPAT              |
| 15 | BRS  | 275  | available with resource with bit  | USPAT              |
| 16 | BRS  | 21   | available with resource with bit with instruction   | USPAT              |
| 17 | BRS  | 20   | available with resource with bit with table   | USPAT              |
| 18 | BRS  | 0    | available with execution with unit with issue with bit  | USPAT              |

|    | Type | Hits | Search Text  | DBs   |
|----|------|------|--|---|
| 19 | BRS  | 0    | available with execution with unit with issue with bit | US - PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB |
| 20 | BRS  | 72   | available with execution with unit with bit            | US - PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB |
| 21 | BRS  | 144  | available with resource with bit                       | USPAT   |
| 22 | BRS  | 250  | available with resource with bit                       | USPAT   |
| 23 | BRS  | 20   | available with resource with bit with table            | USPAT   |
| 24 | BRS  | 7    | available same (resource with scoreboard\$4)           | USPAT   |
| 25 | BRS  | 34   | available same (resource with scoreboard\$4)           | USPAT   |
| 26 | BRS  | 22   | available same (resource near4 scoreboard\$4)          | USPAT   |
| 27 | BRS  | 3    | 712/204.ccls. and delimit\$4                           | USPAT; EPO;<br>JPO; IBM_TDB                               |
| 28 | BRS  | 1    | "5442760".pn.  | USPAT   |
| 29 | BRS  | 23   | available with resource with bit with table            | US - PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB |
| 30 | BRS  | 29   | available with resource with bit with instruction      | US - PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                |
| 31 | BRS  | 23   | available with resource with bit with table            | US - PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                |
| 32 | BRS  | 23   | available with resource with bit with table            | US - PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                |

|    | Type | Hits | Search Text  | DBs                                |
|----|------|------|--|------------------------------------|
| 33 | BRS  | 49   | unit with (fetch\$4 issu\$4) with instruction with depend\$6 with type       | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 34 | BRS  | 23   | available with resource with bit with table                                  | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 35 | BRS  | 204  | available with resource with bit   | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 36 | BRS  | 16   | instruction with bit with format with ((execution\$2 function\$2) near unit) | USPAT                              |
| 37 | BRS  | 169  | 712/204.ccls.  | USPAT; EPO; JPO; IBM_TDB           |
| 38 | BRS  | 199  | 712/22.ccls.   | USPAT; EPO; JPO; IBM_TDB           |
| 39 | BRS  | 291  | 712/208.ccls.  | USPAT                              |
| 40 | BRS  | 73   | 712/2.ccls.  | USPAT                              |
| 41 | BRS  | 399  | 712/215.ccls.  | USPAT                              |
| 42 | BRS  | 161  | 712/223.ccls.  | USPAT; EPO; JPO; IBM_TDB           |
| 43 | BRS  | 22   | available with resource with bit with table                                  | USPAT; EPO; JPO                    |
| 44 | BRS  | 19   | available with scoreboard\$4 with bit  | USPAT; EPO; JPO                    |
| 45 | BRS  | 31   | depend\$5 with current with execut\$4 with type                              | USPAT; EPO; JPO; IBM_TDB           |
| 46 | BRS  | 267  | parallel with process\$5 with VLIW   | USPAT; EPO; JPO; IBM_TDB           |
| 47 | BRS  | 4    | unit with (fetch\$4 issu\$4) with rearrang\$4 with instruction               | USPAT; EPO; JPO                    |
| 48 | BRS  | 12   | depend\$5 with current with execut\$4 with (issu\$4 align\$5)                | USPAT; EPO; JPO; IBM_TDB           |
| 49 | BRS  | 1    | "5930508".pn.  | USPAT                              |
| 50 | BRS  | 1    | "5881307".pn.  | USPAT                              |

|    | Type | Hits | Search Text   | DBs   |
|----|------|------|---|---|
| 51 | BRS  | 1    | "5930508".pn.   | USPAT   |
| 52 | BRS  | 1    | "5787303".pn.   | USPAT   |
| 53 | BRS  | 1    | "5930508".pn.   | USPAT   |
| 54 | BRS  | 1    | "5881307".pn.   | USPAT   |
| 55 | BRS  | 1    | "5826060".pn.   | USPAT   |
| 56 | BRS  | 1    | "5826070".pn.   | USPAT   |
| 57 | BRS  | 2    | gochman.in. and return and stack                        | USPAT   |
| 58 | BRS  | 2    | overrid\$3 near2 branch near2<br>predict\$3             | USPAT   |
| 59 | BRS  | 12   | overrid\$3 near2 branch near2<br>predict\$3             | US - PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB |
| 60 | BRS  | 2    | "6247122".pn.   | US - PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB |
| 61 | BRS  | 2    | overrid\$3 near2 return near2<br>stack near2 predict\$3 | US - PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB |